





Easy 10 Manual

Electrical Supply

CODE: 925813120

Technical features

Outside dimension: 850 L x 915 P x 1150 H mm

Space between trays: 80 mm

Trays: 10T GN1/1 - 10T 40X60

Power: 16 KW
Weight: 110 Kg
Max temperature: 270 ° C

Power supply: 400 V ~ 3PH + N + PE | 400 V ~ 2PH + N + PE | 230 V ~ 3PH + PE | 230 V ~ 1PH + N +

PE | 50-60 Hz

Equipment

Controlled steam injection (%) Glass opening for cleaning Catalytic burner high performance Fan inversion system Halogen lighting Unique pan support GN 1/1 - 40x60


2 Fan speeds Continuous operation INF Mechanical timer 0-120

Accessories


Exhaust & draining, Proofers, Cleaning & purification, Stands & supports, Trays



Easy 10 Manual Electrical Supply



- 1 Manopola Timer Timer knob Poignée de la minuterie Mando del temporizador
- 2 Manopola temp. Temp. knob Poignée de la temp. Mando de la temp.
 3 Manopola Umidità Humidity knob Poignée de l'humidité Mando humedad



Legend


- A Drain liquid Ø 30mm
- B Equipotential terminal comb
- C Electric supply
- D Water inlet 3/4"
- E Extracting hood supply
- F Steam exhaust Ø 50mm






Easy 10 Manual Electrical Supply

Connections



Packaging



| Packing size: | 920 L x 1000 P x 1300 H mm |
|---------------|----------------------------|
| Net weight: | 109 Kg |
| Gross weight: | 119 Kg |